



PRÜFTECHNIK

[Download data sheet \(PDF\)](#)

Information: PMG tip styles

PRÜFTECHNIK **Tip style****Range of application**

No. 01

To contact wire-wrap posts as well as longer leads.



No. 07

To contact wire-wrap posts as well as longer leads.



No. 02

Very robust, aggressive contact performance.



No. 04

To contact clean or sensitive pad.



No. 09

To contact clean or sensitive pad.



No. 05

To contact socket rails, plugs or bare boards.



No. 05

To contact socket rails, plugs or bare boards.



No. 06

To contact clean or sensitive pads, leaves no scratches.



No. 03

To contact clean or sensitive pads, leaves no scratches.



No. 08

For multiple use.



No. 08

For multiple use.



No. 08

For multiple use.



No. 10

Very robust, aggressive contact performance, for dirty boards.



No. 11

For multiple use.



No. 12

Variation of tip style 11, self-cleaning.



No. 12

Variation of tip style 11, self-cleaning.



No. 12

Variation of tip style 11, self-cleaning.



No. 13

Aggressive contact performance, is used to contact dirty boards.



No. 14 Self-centering tip, is used to contact through holes.



No. 14 Self-centering tip, is used to contact through holes.



No. 15 For multiple use.



No. 16 Small crown for pads or tinned areas.



No. 17 Use this three-sided chisel to contact through holes.



No. 17 Use this three-sided chisel to contact through holes.



No. 18 Self-cleaning tip for pads and leads.



No. 19 Very robust, steel needle pressed in.



No. 20 To contact plugs.



No. 23 Aggressive contacting, three grounded tips to contact pads or leads.



No. 24

Aggressive contacting, use for pads or contacting through holes.